



A Donaldson Company

A WORLD LEADER IN FUME EXTRACTION TECHNOLOGY



## PrintPRO Base LEF 12

Last Updated on 19.12.2018



Fume extraction system and stand for the Roland LEF-12 and 12i printer.

BOFA's PrintPRO Base LEF 12 is designed exclusively for Roland DG to remove odours generated during the printing process.

The design allows the Roland LEF-12/12i printers to sit on top of the extractor as a cart or bench, and specially formed dimples ensure a perfect alignment and secure location. Manufactured to run efficiently and quietly in an office environment, colour matched for good looks, with practical internal storage and castors for portability, the PrintPRO Base LEF 12 is the perfect companion to the Roland LEF-12/12i printers.

### Technology



HEPA filter



Advanced carbon filter (ACF) technology



SureCHECK quality standard

### Key features of the PrintPRO Base LEF 12

**Colour matched to the Roland LEF-12/12i printers**  
Standard

**Auto sensing voltage (115 - 230v) for global use**  
Standard

**Extended life carbon for low cost of ownership**  
Standard

**Doubles as cart/bench with locating dimples for security**  
Standard

**Low noise level**  
Standard

**Castors for portability**  
Standard

**VOC gas sensor (Volatile Organic Compound)**  
Standard

**Digital speed control**  
Standard

**Specially treated carbon for safe containment of print fumes**  
Standard

**Extraction hose kit included**  
Standard


**Internal accessories shelf**  
Standard

[bofainternational.com/roland](http://bofainternational.com/roland)




## Technical specification

- 1. Digital speed control
- 2. On/off switch
- 3. Filter condition display
- 4. Locating dimples for the Roland LEF-12i printer
- 5. Filter compartment door latches
- 6. Door hinges
- 7. Hose inlet connection - 50mm
- 8. Exhaust outlet - 75mm
- 9. Castors



### Airflow through filters

-  Chemical filter
-  HEPA filter
-  Clean air
-  Contaminated air
-  Particulate



### Technical data

	EU	US
Dimensions (HxWxD)	730 x 1000 x 820mm	28.7 x 39.4 x 32.3"
Cabinet construction	Powder coated mild steel	Powder coated mild steel
Airflow / Pressure	400m <sup>3</sup> /hr / 96mbar	235cfm / 96mbar

## Technical data

Electrical data	115v - 230v 1ph 50/60Hz Full load current: 12.5 amps / 1.1kw	115v - 230v 1ph 50/60Hz Full load current: 12.5 amps / 1.1kw
Noise level	< 59dBA (at typical operating speed)	< 59dBA (at typical operating speed)
Weight	120kgs	265lbs
Approvals	CE	UL

## Gas/HEPA filter specifications

Surface media area	3.45m <sup>2</sup> approx
HEPA filter media	Glass fibre
HEPA media construction	Maxi pleat construction with webbing spacers
Filter efficiency	99.997% @ 0.3 microns
Treated activated carbon	17kgs
Filter housing	Zintec mild steel

## Unit part number

Model	Part number
PrintPRO Base LEF 12 Powder coated	31021063-1258

## Replacement filters

Description	EU part number	US part number
HEPA / Gas filter	A1030158	A1030228

Roland are registered in the U.S. Patent and Trademark office.

*Datasheet correct at time of publishing.*

*Where applicable, the carbon used in BOFA units is capable of removing a wide range of VOC's, however it is the responsibility of the user to ensure the carbon is suitable for their application. For specific applications, please contact us for details.*

*Think before you print! Please consider the environment before printing this document.*

